





NTELLIGENCE LEADS THE FUTURE



Portable



Print Distance Adjustable





Online Editing Real-time Printing

Dragon I Parameters

Specification Size: 218*52*152mm (H*W*D)/

218*79*152mm (H*W*D) (Including 4-wheel structure)

Language Chinese, English, Japanese, French, German, Spanish, Portuguese

and Russian

Resolution 300DPI

Counters Can be set in Serial No, Carton No., Pallet No., etc

Printing Height 1~12.7mm

Printing Distance 3mm (standard 300DPI encoder wheel)

Printing data Barcodes, alphabet, numbers, Chinese, images, date, shifts, counters

Barcode UPCA, UPCE, EAN13, EAN8, INT25, CODE39, CODE128, EAN128,

PDF417, DATAMATRIX, QR

Date format Production date/ expiry date, user can set its formats.

User management 3 levels operating authorization (operator, technician, administrator)

Battery Quantity: standard 1 group (3pcs) big capacity rechargeable battery

Capacity: 3.7V/2000mAh Voltage: 11.1V-12.6V Shelf: around 300 cycles Stand-by time: 7 hours Working time: 4 hours

Display 5 inch, 800*480 resolution resistive screen

Ports USB2.0, RJ45 (for sensor and encoder)

Ink management Identify ink type and set the best printing parameters automatically.

Original HP ink cartridge guaranteed.

Automatic ink consumption calculation

Cetificate CE FCC





For further information:

Visit us online www.t-mark.co.uk

Tel: 0870 803 1877

Email: sales@t-mark.co.uk